

CA Type Spherical Roller Bearing



The CA type spherical roller bearing is characterized by a precision-machined brass cage and the reinforced symmetrical spherical rollers. Generally, it can be used in general purpose with CC type bearings. Compared with CC type spherical roller bearing, the product of CA type adopts brass cage with high tensile strength. The cage itself has certain self-lubricating property and allows certain plastic deformation. Under the current limitations of domestic abrasive tools, in the case of high requirements of noise, the CA structure design is superior to the CC structure design. At the same time, because of the cage of CA type structure, under the condition of the limited shape size of the bearing, it takes up more internal space, so the size and the quantity of the bearing rollers are limited to a certain extent. Thus, the possibility of further improving the radial load capacity of the bearing is reduced.



LUOYANG TEDIN BEARING CO., LTD.

Email: sales@tedin-bearing.com;
Homepage: www.tedin-bearing.com;

Cylindrical Bore	Tapered Bore	d (mm)	D (mm)	B (mm)	Cr (kN)	Cor (kN)	Grease Oil (r/min) (r/min)		KG
21320CA/W33	21320CAK/W33	100	215	47	425	490	3400	4500	8.6
22320CA/W33	22320CAK/W33	100	215	73	815	950	2400	3000	13.5
23022CA/W33	23022CAK/W33	110	170	45	310	440	3400	4300	3.8
24022CA/W33	24022CAK30/W33	110	170	60	415	620	2400	3600	5
23122CA/W33	23122CAK/W33	110	180	56	430	585	2800	3600	5.75
24122CA/W33	24122CAK30/W33	110	180	69	520	750	2200	3000	7.1
22222CA/W33	22222CAK/W33	110	200	53	560	640	3000	4000	7
23222CA/W33	23222CAK/W33	110	200	69.8	600	765	2200	3200	9.85
22322CA/W33	22322CAK/W33	110	240	80	950	1120	2000	2800	18.4
23024CA/W33	23024CAK/W33	120	180	46	355	510	3200	4000	4.2
24024CA/W33	24024CAK30/W33	120	180	60	430	670	2400	3400	5.45
23124CA/W33	23124CAK/W33	120	200	62	510	695	2600	3400	8
24124CA/W33	24124CAK30/W33	120	200	80	655	950	1900	2600	10.3
22224CA/W33	22224CAK/W33	120	215	58	630	765	2800	3800	8.7
23224CA/W33	23224CAK/W33	120	215	76	695	930	2000	2800	12
22324CA/W33	22324CAK/W33	120	260	86	965	1120	2000	2600	23
23026CA/W33	23026CAK/W33	130	200	52	430	610	2800	3600	6
24026CA/W33	24026CAK30/W33	130	200	69	540	815	2000	3000	8.05
23126CA/W33	23126CAK/W33	130	210	64	560	780	2400	3200	8.8
24126CA/W33	24126CAK30/W33	130	210	80	680	1000	1800	2400	11
22226CA/W33	22226CAK/W33	130	230	64	735	930	2600	3600	11
23226CA/W33	23226CAK/W33	130	230	80	780	1060	1900	2600	14.5
22326CA/W33	22326CAK/W33	130	280	93	1120	1320	1800	2400	29
23028CA/W33	23028CAK/W33	140	210	53	465	680	2600	3400	6.55
24028CA/W33	24028CAK30/W33	140	210	69	570	900	2000	2800	8.55
23128CA/W33	23128CAK/W33	140	225	68	630	900	2200	2800	10.5
24128CA/W33	24128CAK30/W33	140	225	85	765	1160	1700	2400	13.5
22228CA/W33	22228CAK/W33	140	250	68	710	900	2400	3200	14
23228CA/W33	23228CAK/W33	140	250	88	915	1250	1700	2400	19
22328CA/W33	22328CAK/W33	140	300	102	1290	1560	1700	2200	36.5
23030CA/W33	23030CAK/W33	150	225	56	510	750	2400	3200	7.95

Website: www.tedin-bearing.com;

Address: High-tech Zone, Luoyang, Henan, China



LUOYANG TEDIN BEARING CO., LTD.

Email: sales@tedin-bearing.com;
Homepage: www.tedin-bearing.com;

24030CA/W33	24030CAK30/W33	150	225	75	655	1040	1800	2600	10.5
23130CA/W33	23130CAK/W33	150	250	80	830	1200	2000	2600	16
24130CA/W33	24130CAK30/W33	150	250	100	1020	1530	1500	2200	20
22230CA/W33	22230CAK/W33	150	270	73	850	1080	2200	3000	18
23230CA/W33	23230CAK/W33	150	270	96	1080	1460	1600	2200	24.5
22330CA/W33	22330CAK/W33	150	320	108	1460	1760	1600	2000	43.5
23032CA/W33	23032CAK/W33	160	240	60	585	880	2400	3000	9.7
24032CA/W33	24032CAK30/W33	160	240	80	750	1200	1700	2400	13
23132CA/W33	23132CAK/W33	160	270	86	980	1370	1900	2400	20.5
24132CA/W33	24132CAK30/W33	160	270	109	1180	1760	1400	1900	25
22232CA/W33	22232CAK/W33	160	290	80	1000	1290	2000	2800	22.5
23232CA/W33	23232CAK/W33	160	290	104	1220	1660	1500	2200	31
22332CA/W33	22332CAK/W33	160	340	114	1600	1960	1500	1900	52
23034CA/W33	23034CAK/W33	170	260	67	710	1060	2200	2800	13
24034CA/W33	24034CAK30/W33	170	260	90	930	1460	1600	2400	17.5
23134CA/W33	23134CAK/W33	170	280	88	1040	1500	1800	2400	22
24134CA/W33	24134CAK30/W33	170	280	109	1220	1860	1300	1900	27.5
22234CA/W33	22234CAK/W33	170	310	86	1120	1460	1900	2600	28.5
23234CA/W33	23234CAK/W33	170	310	110	1400	1930	1400	2000	37.5
22334CA/W33	22334CAK/W33	170	360	120	1760	2160	1400	1800	61
23936CA/W33	23936CAK/W33	180	250	52	431	830	2200	2800	7.9
23036CA/W33	23036CAK/W33	180	280	74	830	1250	2000	2600	17
24036CA/W33	24036CAK30/W33	180	280	100	1080	1730	1500	2200	23
23136CA/W33	23136CAK/W33	180	300	96	1200	1760	1700	2200	28
24136CA/W33	24136CAK30/W33	180	300	118	1400	2160	1300	1700	34.5
22236CA/W33	22236CAK/W33	180	320	86	1180	1560	1800	2600	29.5
23236CA/W33	23236CAK/W33	180	320	112	1500	2120	1300	1900	39.5
22336CA/W33	22336CAK/W33	180	380	126	2000	2450	1300	1700	71.5
23938CA/W33	23938CAK/W33	190	260	52	414	800	2200	2600	8.3
23038CA/W33	23038CAK/W33	190	290	75	865	1340	1900	2400	18
24038CA/W33	24038CAK30/W33	190	290	100	1120	1800	1400	2000	24.5
23138CA/W33	23138CAK/W33	190	320	104	1370	2080	1500	2000	35
24138CA/W33	24138CAK30/W33	190	320	128	1600	2500	1200	1600	43



LUOYANG TEDIN BEARING CO., LTD.

Email: sales@tedin-bearing.com;
Homepage: www.tedin-bearing.com;

22238CA/W33	22238CAK/W33	190	340	92	1270	1700	1700	2400	36.5
23238CA/W33	23238CAK/W33	190	340	120	1660	2400	1300	1800	48
22338CA/W33	22338CAK/W33	190	400	132	2120	2650	1200	1600	82.5
23940CA/W33	23940CAK/W33	200	280	60	620	1040	2200	2400	11.5
23040CA/W33	23040CAK/W33	200	310	82	1000	1530	1800	2200	23.3
24040CA/W33	24040CAK30/W33	200	310	109	1290	2120	1300	1900	31
23140CA/W33	23140CAK/W33	200	340	112	1600	2360	1500	1900	43
24140CA/W33	24140CAK30/W33	200	340	140	1800	2800	1100	1500	53.5
22240CA/W33	22240CAK/W33	200	360	98	1460	1930	1600	2200	43.5
23240CA/W33	23240CAK/W33	200	360	128	1860	2700	1200	1700	58
22340CA/W33	22340CAK/W33	200	420	138	2320	2900	1200	1500	95
23944CA/W33	23944CAK/W33	220	300	60	546	1080	1900	2200	12.5
23044CA/W33	23044CAK/W33	220	340	90	1220	1860	1600	2000	30.5
24044CA/W33	24044CAK30/W33	220	340	118	1560	2600	1200	1700	40
23144CA/W33	23144CAK/W33	220	370	120	1800	2750	1300	1700	53.5
24144CA/W33	24144CAK30/W33	220	370	150	2120	3350	1000	1400	67
22244CA/W33	22244CAK/W33	220	400	108	1760	2360	1500	2000	60.5
23244CA/W33	23244CAK/W33	220	400	144	2360	3450	1100	1500	81.5
22344CA/W33	22344CAK/W33	220	460	145	2700	3450	1000	1400	120
23948CA/W33	23948CAK/W33	240	320	60	564	1160	1700	2000	13.5
23048CA/W33	23048CAK/W33	240	360	92	1290	2080	1500	1900	33.5
24048CA/W33	24048CAK30/W33	240	360	118	1600	2700	1100	1600	43
23148CA/W33	23148CAK/W33	240	400	128	2080	3200	1200	1600	66.5
24148CA/W33	24148CAK30/W33	240	400	160	2400	3900	900	1300	83
22248CA/W33	22248CAK/W33	240	440	120	2200	3000	1300	1800	83
23248CA/W33	23248CAK/W33	240	440	160	2900	4300	950	1300	110
22348CA/W33	22348CAK/W33	240	500	155	3100	4000	950	1300	155
23952CA/W33	23952CAK/W33	260	360	75	880	1800	1500	1900	23.5
23052CA/W33	23052CAK/W33	260	400	104	1600	2550	1300	1700	48.5
24052CA/W33	24052CAK30/W33	260	400	140	2040	3450	1000	1400	65.5
23152CA/W33	23152CAK/W33	260	440	144	2550	3900	1100	1400	90.5
24152CA/W33	24152CAK30/W33	260	440	180	3000	4800	850	1200	110
22252CA/W33	22252CAK/W33	260	480	130	2650	3550	1200	1600	110



LUOYANG TEDIN BEARING CO., LTD.

Email: sales@tedin-bearing.com;
Homepage: www.tedin-bearing.com;

23252CA/W33	23252CAK/W33	260	480	174	3250	4750	850	1200	140
22352CA/W33	22352CAK/W33	260	540	165	3550	4550	850	1100	190
23956CA/W33	23956CAK/W33	280	380	75	845	1760	1400	1700	25
23056CA/W33	23056CAK/W33	280	420	106	1730	2850	1300	1600	52.5
24056CA/W33	24056CAK30/W33	280	420	140	2160	3800	950	1400	69.5
23156CA/W33	23156CAK/W33	280	460	146	2650	4250	1000	1300	97
24156CA/W33	24156CAK30/W33	280	460	180	3100	5100	800	1100	120
22256CA/W33	22256CAK/W33	280	500	130	2700	3750	1100	1500	115
23256CA/W33	23256CAK/W33	280	500	176	3250	4900	800	1100	150
22356CA/W33	22356CAK/W33	280	580	175	4000	5200	800	1100	235
23960CA/W33	23960CAK/W33	300	420	90	1200	2500	1300	1600	39.5
23060CA/W33	23060CAK/W33	300	460	118	2120	3450	1200	1500	71.5
24060CA/W33	24060CAK30/W33	300	460	160	2700	4750	850	1200	97
23160CA/W33	23160CAK/W33	300	500	160	3200	5100	950	1200	125
24160CA/W33	24160CAK30/W33	300	500	200	3750	6300	700	1000	160
22260CA/W33	22260CAK/W33	300	540	140	3150	4250	1000	1400	145
23260CA/W33	23260CAK/W33	300	540	192	39005	850	750	1000	190
23964CA/W33	23964CAK/W33	320	440	90	1430	2700	1400	1500	42
23064CA/W33	23064CAK/W33	320	480	121	2240	3800	1100	1400	78
24064CA/W33	24064CAK30/W33	320	480	160	2850	5100	800	1200	100
23164CA/W33	23164CAK/W33	320	540	176	3750	6000	850	1100	165
24164CA/W33	24164CAK30/W33	320	540	218	4250	7100	670	900	210
22264CA/W33	22264CAK/W33	320	580	150	3600	4900	950	1300	175
23264CA/W33	23264CAK/W33	320	580	208	4400	6700	700	950	240
23968CA/W33	23968CAK/W33	340	460	90	1460	2800	1300	1400	45.5
23068CA/W33	23068CAK/W33	340	520	133	2700	4550	1000	1300	105
24068CA/W33	24068CAK30/W33	340	520	180	3450	6200	750	1100	140
23168CA/W33	23168CAK/W33	340	580	190	4250	6800	800	1000	210
24168CA/W33	24168CAK30/W33	340	580	243	5300	8650	600	850	280
23268CA/W33	23268CAK/W33	340	620	224	5100	7800	560	800	295
23972CA/W33	23972CAK/W33	360	480	90	1400	2750	1200	1300	46
23072CA/W33	23072CAK/W33	360	540	134	2750	4800	950	1200	110
24072CA/W33	24072CAK30/W33	360	540	180	3550	6550	700	1000	145



LUOYANG TEDIN BEARING CO., LTD.

Email: sales@tedin-bearing.com;
Homepage: www.tedin-bearing.com;

23172CA/W33	23172CAK/W33	360	600	192	4300	6950	750	1000	220
24172CA/W33	24172CAK30/W33	360	600	243	5600	9300	560	800	280
22272CA/W33	22272CAK/W33	360	650	170	4300	6200	630	850	255
23272CA/W33	23272CAK/W33	360	650	232	5400	8300	530	750	335
23976CA/W33	23976CAK/W33	380	520	106	1960	3800	1100	1200	69
23076CA/W33	23076CAK/W33	380	560	135	2900	5000	900	1200	115
24076CA/W33	24076CAK30/W33	380	560	180	3600	6800	670	950	150
23176CA/W33	23176CAK/W33	380	620	194	4400	7100	560	1000	230
24176CA/W33	24176CAK30/W33	380	620	243	5700	9800	480	850	300
23276CA/W33	23276CAK/W33	380	680	240	5850	9150	500	750	375
23980CA/W33	23980CAK/W33	400	540	106	2000	3900	1100	1200	71
23080CA/W33	23080CAK/W33	400	600	148	3250	5700	850	1100	150
24080CA/W33	24080CAK30/W33	400	600	200	4300	8000	630	900	205
23180CA/W33	23180CAK/W33	400	650	200	4650	7650	530	950	265
24180CA/W33	24180CAK30/W33	400	650	250	6200	10600	430	800	340
23280CA/W33	23280CAK/W33	400	720	256	6550	10400	480	670	450
22380CA/W33	22380CAK/W33	400	820	243	7500	10400	430	750	650
23984CA/W33	23984CAK/W33	420	560	106	2040	4150	1000	1100	74.5
23084CA/W33	23084CAK/W33	420	620	150	3400	6000	600	1100	155
24084CA/W33	24084CAK30/W33	420	620	200	4400	8300	530	900	210
23184CA/W33	23184CAK/W33	420	700	224	5600	9300	480	900	350
24184CA/W33	24184CAK30/W33	420	700	280	7350	12600	400	700	445
23284CA/W33	23284CAK/W33	420	760	272	7350	11600	450	630	535
23988CA/W33	23988CAK/W33	440	600	118	2450	4900	950	1000	99.5
23088CA/W33	23088CAK/W33	440	650	157	3650	6550	560	1000	180
24088CA/W33	24088CAK30/W33	440	650	212	4800	9150	500	850	245
23188CA/W33	23188CAK/W33	440	720	226	6000	10000	450	850	360
24188CA/W33	24188CAK30/W33	440	720	280	7500	13200	400	700	460
23288CA/W33	23288CAK/W33	440	790	280	7800	12500	430	600	590
24892CA/W33	24892CAK30/W33	460	580	118	1790	4900	560	1100	75.5
23992CA/W33	23992CAK/W33	460	620	118	2500	5000	600	1000	105
23092CA/W33	23092CAK/W33	460	680	163	3900	6950	560	950	205
24092CA/W33	24092CAK30/W33	460	680	218	5200	10000	480	800	275



LUOYANG TEDIN BEARING CO., LTD.

Email: sales@tedin-bearing.com;
Homepage: www.tedin-bearing.com;

23192CA/W33	23192CAK/W33	460	760	240	6400	10800	430	800	440
24192CA/W33	24192CAK30/W33	460	760	300	8300	14600	360	670	560
23292CA/W33	23292CAK/W33	460	830	296	8500	13700	400	560	695
23996CA/W33	23996CAK/W33	480	650	128	2900	5700	560	1000	125
23096CA/W33	23096CAK/W33	480	700	165	3900	6800	530	950	215
24096CA/W33	24096CAK30/W33	480	700	218	5300	10400	450	750	285
23196CA/W33	23196CAK/W33	480	790	248	6950	12000	400	750	485
24196CA/W33	24196CAK30/W33	480	790	308	9000	15600	340	630	605
23296CA/W33	23296CAK/W33	480	870	310	9300	15000	380	530	800
239/500CA/W33	239/500CAK/W33	500	670	128	2900	6000	530	950	130
230/500CA/W33	230/500CAK/W33	500	720	167	4150	7800	500	900	225
240/500CA/W33	240/500CAK30/W33	500	720	218	5500	11000	430	700	295
231/500CA/W33	231/500CAK/W33	500	830	264	7650	12900	380	700	580
241/500CA/W33	241/500CAK30/W33	500	830	325	9800	17000	320	600	700
232/500CA/W33	232/500CAK/W33	500	920	336	10600	17300	360	500	985
248/530CA/W33	248/530CAK30/W33	530	650	118	1840	5300	480	950	86
239/530CA/W33	239/530CAK/W33	530	710	136	3200	6700	500	900	155
230/530CA/W33	230/530CAK/W33	530	780	185	5100	9300	450	800	310
240/530CA/W33	240/530CAK30/W33	530	780	250	6700	13200	400	670	410
231/530CA/W33	231/530CAK/W33	530	870	272	8150	14000	360	670	645
241/530CA/W33	241/530CAK30/W33	530	870	335	10600	19000	300	560	830
232/530CA/W33	232/530CAK/W33	530	980	355	11100	20400	300	480	1200
239/560CA/W33	239/560CAK/W33	560	750	140	3450	7200	450	850	175
230/560CA/W33	230/560CAK/W33	560	820	195	5600	10200	430	750	355
240/560CA/W33	240/560CAK30/W33	560	820	258	7350	14600	380	630	465
231/560CA/W33	231/560CAK/W33	560	920	280	9150	16000	340	630	740
241/560CA/W33	241/560CAK30/W33	560	920	355	12000	21600	280	500	985
232/560CA/W33	232/560CAK/W33	560	1030	365	11500	22000	280	430	1350
239/600CA/W33	239/600CAK/W33	600	800	150	3900	8300	430	750	220
230/600CA/W33	230/600CAK/W33	600	870	200	6000	11400	400	700	405
240/600CA/W33	240/600CAK30/W33	600	870	272	8150	17000	340	560	520
231/600CA/W33	231/600CAK/W33	600	980	300	10200	18000	320	560	895
241/600CA/W33	241/600CAK30/W33	600	980	375	11500	23600	240	480	1200

Website: www.tedin-bearing.com;
Address: High-tech Zone, Luoyang, Henan, China



LUOYANG TEDIN BEARING CO., LTD.

Email: sales@tedin-bearing.com;
Homepage: www.tedin-bearing.com;

232/600CA/W33	232/600CAK/W33	600	1090	388	13100	25500	260	400	1600
238/630CA/W33	238/630CAK/W33	630	780	112	2190	6100	400	750	120
239/630CA/W33	239/630CAK/W33	630	850	165	4650	9800	400	700	280
230/630CA/W33	230/630CAK/W33	630	920	212	6700	12500	380	670	485
240/630CA/W33	240/630CAK30/W33	630	920	290	8800	18000	320	530	645
231/630CA/W33	231/630CAK/W33	630	1030	315	10500	20800	260	530	1050
241/630CA/W33	241/630CAK30/W33	630	1030	400	12700	27000	220	450	1400
238/670CA/W33	238/670CAK/W33	670	820	112	2250	6400	360	700	130
239/670CA/W33	239/670CAK/W33	670	900	170	5000	10800	360	670	315
230/670CA/W33	230/670CAK/W33	670	980	230	7650	14600	340	600	600
240/670CA/W33	240/670CAK30/W33	670	980	308	10000	20400	300	500	790
231/670CA/W33	231/670CAK/W33	670	1090	336	10900	22400	240	500	1250
241/670CA/W33	241/670CAK30/W33	670	1090	412	13800	29000	200	400	1600
232/670CA/W33	232/670CAK/W33	670	1220	438	15400	30500	220	360	2270
238/710CA/W33	238/710CAK/W33	710	870	118	2580	7500	340	670	153
239/710CA/W33	239/710CAK/W33	710	950	180	5600	12000	340	600	365
249/710CA/W33	249/710CAK30/W33	710	950	243	6800	15600	300	500	495
230/710CA/W33	230/710CAK/W33	710	1030	236	8300	16300	320	560	670
240/710CA/W33	240/710CAK30/W33	710	1030	315	10400	22000	280	450	895
231/710CA/W33	231/710CAK/W33	710	1150	345	12200	26000	240	450	1450
241/710CA/W33	241/710CAK30/W33	710	1150	438	15200	32500	190	380	1900
232/710CA/W33	232/710CAK/W33	710	1280	450	17600	34500	200	320	2610
238/750CA/W33	238/750CAK/W33	750	920	128	2930	8500	320	600	180
239/750CA/W33	239/750CAK/W33	750	1000	185	6000	13200	320	560	420
249/750CA/W33	249/750CAK30/W33	750	1000	250	7650	18000	280	480	560
230/750CA/W33	230/750CAK/W33	750	1090	250	9650	18600	300	530	795
240/750CA/W33	240/750CAK30/W33	750	1090	335	11400	24000	260	430	1065
231/750CA/W33	231/750CAK/W33	750	1220	365	13800	29000	220	430	1700
241/750CA/W33	241/750CAK30/W33	750	1220	475	17300	37500	180	360	2100
232/750CA/W33	232/750CAK/W33	750	1360	475	18700	36500	190	300	3050
248/800CA/W33	248/800CAK30/W33	800	980	180	4140	12900	300	560	300
239/800CA/W33	239/800CAK/W33	800	1060	195	6400	14300	300	530	470
249/800CA/W33	249/800CAK30/W33	800	1060	258	8000	19300	260	430	640

Website: www.tedin-bearing.com;
Address: High-tech Zone, Luoyang, Henan, China



LUOYANG TEDIN BEARING CO., LTD.

Email: sales@tedin-bearing.com;
Homepage: www.tedin-bearing.com;

230/800CA/W33	230/800CAK/W33	800	1150	258	10000	20000	280	480	895
240/800CA/W33	240/800CAK30/W33	800	1150	345	12500	27500	240	400	1200
231/800CA/W33	231/800CAK/W33	800	1280	375	14800	31500	200	400	1920
241/800CA/W33	241/800CAK30/W33	800	1280	475	18400	40500	170	320	2300
232/800CA/W33	232/800CAK/W33	800	1420	488	24000	43000	180	280	3280
238/850CA/W33	238/850CAK/W33	850	1030	136	3340	10000	260	530	240
239/850CA/W33	239/850CAK/W33	850	1120	200	6950	15600	280	480	560
249/850CA/W33	249/850CAK30/W33	850	1120	272	9300	22800	240	400	740
230/850CA/W33	230/850CAK/W33	850	1220	272	9370	21600	240	450	1050
240/850CA/W33	240/850CAK30/W33	850	1220	365	12700	31500	200	360	1410
231/850CA/W33	231/850CAK/W33	850	1360	400	16100	34500	180	360	2200
241/850CA/W33	241/850CAK30/W33	850	1360	500	20200	45000	150	300	2710
248/900CA/W33	248/900CAK30/W33	900	1090	190	4660	15300	240	480	370
239/900CA/W33	239/900CAK/W33	900	1180	206	7500	17000	260	450	605
230/900CA/W33	230/900CAK/W33	900	1280	280	10100	23200	220	400	1200
240/900CA/W33	240/900CAK30/W33	900	1280	375	13600	34500	190	340	1570
241/900CA/W33	241/900CAK30/W33	900	1420	515	21400	49000	140	280	3350
239/950CA/W33	239/950CAK/W33	950	1250	224	7250	19600	220	430	755
249/950CA/W33	249/950CAK30/W33	950	1250	300	9200	26000	180	340	1015
230/950CA/W33	230/950CAK/W33	950	1360	300	12000	28500	200	380	1450
240/950CA/W33	240/950CAK30/W33	950	1360	412	14800	39000	170	300	1990
241/950CA/W33	241/950CAK30/W33	950	1500	545	23900	55000	130	260	3535
238/1000CA/W33	238/1000CAK/W33	1000	1220	165	4660	14300	220	400	410
249/1000CA/W33	249/1000CAK30/W33	1000	1320	315	10400	29000	170	320	1200
230/1000CA/W33	230/1000CAK/W33	1000	1420	308	12700	30500	180	360	1600
240/1000CA/W33	240/1000CAK30/W33	1000	1420	412	15400	40500	160	280	2140
231/1000CA/W33	231/1000CAK/W33	1000	1580	462	21400	48000	140	280	3500
241/1000CA/W33	241/1000CAK30/W33	1000	1580	580	26700	62000	120	240	4300
238/1060CA/W33	238/1060CAK/W33	1060	1280	165	4770	15000	200	380	435
248/1060CA/W33	248/1060CAK30/W33	1060	1280	218	6100	20000	200	380	570
239/1060CA/W33	239/1060CAK/W33	1060	1400	250	9550	26000	180	360	1100
249/1060CA/W33	249/1060CAK30/W33	1060	1400	335	11500	32500	160	280	1400
230/1060CA/W33	230/1060CAK/W33	1060	1500	325	13800	34000	170	320	2250

Website: www.tedin-bearing.com;
Address: High-tech Zone, Luoyang, Henan, China



LUOYANG TEDIN BEARING CO., LTD.

Email: sales@tedin-bearing.com;
Homepage: www.tedin-bearing.com;

240/1060CA/W33	240/1060CAK30/W33	1060	1500	438	17300	45500	150	260	2515
248/1120CA/W33	248/1120CAK30/W33	1120	1360	243	7250	24000	180	340	735
249/1120CA/W33	249/1120CAK30/W33	1120	1460	335	11700	34500	140	260	1500
240/1120CA/W33	240/1120CAK30/W33	1120	1580	462	18700	50000	130	240	2925
238/1180CA/W33	238/1180CAK/W33	1180	1420	180	5870	18600	170	320	575
248/1180CA/W33	248/1180CAK30/W33	1180	1420	243	7710	27000	170	320	770
239/1180CA/W33	239/1180CAK/W33	1180	1540	272	11100	31000	150	300	1400
249/1180CA/W33	249/1180CAK30/W33	1180	1540	355	13600	40500	130	240	1800
240/1180CA/W33	240/1180CAK30/W33	1180	1660	475	24500	58500	130	220	3320
230/1250CA/W33	230/1250CAK/W33	1250	1750	375	17900	45000	130	240	2840
248/1320CA/W33	248/1320CAK30/W33	1320	1600	280	9780	33500	140	260	1160
249/1320CA/W33	249/1320CAK30/W33	1320	1720	400	16100	49000	110	200	2500

Luoyang Tedin Bearing Co., Ltd.

Tel: 0086 379 6730 1199 ;

Mobile: 0086 136 6388 9399;

WeChat / WhatsApp: 0086 136 63889399 ;

Skype: lysnzc;

Instagram: rollerbearings;

Email: sales@tedin-bearing.com;

Website: www.tedin-bearing.com;



Website: www.tedin-bearing.com;

Address: High-tech Zone, Luoyang, Henan, China